



## Oil Section Electric Diesel Fuel Pump 960rpm Aluminum Fuel Pump

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: Virette
- Model Number: 120
- Minimum Order Quantity: 500pcs
- Price: 8-10USD
- Delivery Time: 10-15 days
- Payment Terms: T/T, Western Union
- Supply Ability: 10000pcs per month



#### Product Specification

- Name: Pump
- Material: Aluminum
- OEM: Yes
- Working Pressure:  $\leq 0.3$  Mpa
- Flow Rate: 90-120L/m
- Motor Power: 0.75KW
- Motor Speed: 960rpm
- Noise:  $\leq 72$ dB
- Suction Pipe Section: 1-1/2"
- Highlight: **Oil Section Electric Diesel Fuel Pump ,  
960rpm Aluminum Fuel Pump ,  
Electric Diesel Fuel Pump 960rpm**

## Product Description

The pump is composed of an aluminum body to which the filter housing, the pump and the electronic motor are connected.

- \* Non-return valve integrated in the filter.
- \* Fuel filter consisting of a filtering cartridge in synthetic resin with stainless steel wire gauze.
- \* Self-priming blade rotary volumetric pump.
- \* Centrifugal air separator composed of two concentric pipes, the internal one allows gases separated from the liquid part to be collected.
- \* By pass valve equipped with a device for limiting and regulating pump delivery pressure.
- \* Air separator reflux chamber equipped with a float valve allowing drainage of the liquid part on reaching a pre-established level, and with a vent for evacuating the air separated from the liquid.

### Features

- \* Reduced number of components
- \* Easy maintenance
- \* Reduced dimensions and weight
- \* No belts or pulleys in motor-pump connection
- \* Filter flanged to the main body
- \* Wide filtering surface
- \* Compliance with OIML Standards

|                      |                   |
|----------------------|-------------------|
| Working Pressure     | ≤0.3 Mpa          |
| Flow rate            | 90-120L/m         |
| Vacuum               | ≥0.06Mpa          |
| Motor Power          | 0.75KW            |
| Motor Speed          | 960rpm            |
| Rated Current        | 2.3A              |
| Noise                | ≤72dB             |
| Suction Pipe Section | 1-1/2"            |
| Dimension            | 360mmx320mmx300mm |
| Net Weight           | About 15KG        |



Virette Technology Co., Ltd.



+8615651807973



[ryan.s@youngtioneotech.com](mailto:ryan.s@youngtioneotech.com)



[refueling-equipment.com](http://refueling-equipment.com)

Shizishu Industrial Concentration Zone, GuxiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China

